

Supplementary Table 1. Viruses detected via gastroenteritis surveillance

Variable	2017.3–2018.2	2018.3–2019.2	2019.3–2020.2	2020.3–2021.2	2021.3–2022.2	2022.3–2023.2
Total stool samples	3,854	3,461	2,721	2,464	3,034	3,775
Virus proven	1,264 (32.8)	897 (25.9)	775 (28.5)	495 (20.1)	770 (25.4)	1,545 (40.9)
Virus types						
Noroviurs	619 (16.1)	488 (14.1)	497 (18.3)	428 (17.4)	494 (16.3)	1,002 (26.5)
Enteric adenovirus	104 (2.7)	123 (3.6)	50 (1.8)	15 (0.6)	122 (4.0)	225 (6.0)
Sapovirus	NA	24 (0.7)	49 (1.8)	1 (0.04)	3 (0.1)	128 (3.4)
Astrovirus	103 (2.7)	95 (2.7)	60 (2.2)	8 (0.3)	136 (4.5)	136 (3.6)
Group A rotavirus	438 (11.4)	167 (4.8)	119 (4.4)	43 (1.7)	15 (0.5)	54 (1.4)

Values are presented as number of cases (%).

Publicly available data from the Korea Disease Control and Prevention Agency.¹⁷⁾